

Grandstream Networks, Inc.

UCM6xxx IP PBX Series vTiger CRM Integration Guide





Table of Content

CALL REPORTING	
CONTACTS LOOKUP	11
User Configuration	
Admin Configuration	7
UCM6XXX CONFIGURATION	7
VTIGER CRM ARCHITECTURE	6
REQUIRMENTS	5
INTRODUCTION	4





Table of Figures

Figure 1 : vTtiger CRM integration with UCM	6
Figure 2: vTiger CRM Settings	7
Figure 3: CRM User Settings	9
Figure 4: vTiger CRM \rightarrow My Preferences	9
Figure 5: vTiger CRM User Name	10
Figure 6: vTiger CRM Access Key	10
Figure 7: Call popup on Grandstream Affinity	11
Figure 8 : View Contact Details	11
Figure 9 : vTiger Call reporting	12

Table of Tables

Table 1: Device Requirements	5
Table 2 : vTiger CRM Settings	8
Table 3: CRM User Settings	9





INTRODUCTION

Customer relationship management (CRM) is a set of practices, strategies and technologies that companies use to manage and analyze customer interactions and data throughout the customer lifecycle, with the goal of improving business relationships with customers.

The UCM6XXX series support integration with four CRM platforms, which are:

- SugarCRM
- Salesforce CRM
- ZOHO CRM
- vTiger CRM

Allowing users to get full information about their contacts, customers and leads, and save call information details to specific table history for further usage.

This guide contains a step-by-step configuration needed to set up **vTiger CRM** with the UCM6XXX IP-PBX series.





REQUIREMENTS

Following table shows Grandstream products and solutions that are required and have been used during this guide in order to have UCM and vTiger Integration:

Table 1: Device Requirements				
PBX	Firmware			
UCM61XX, UCM62XX, UCM6510	1.0.16.18 or higher			
UCM63xx	1.0.2.25 or higher			
IP Phones	Firmware			
GXP21XX	1.0.9.26 or higher			
GXP17XX	1.0.1.30 or higher			
GRP2614/2615/2616	1.0.0.16 or higher			
GRP2603/2604	1.0.1.18 or higher			

G



VTIGER CRM ARCHITECTURE



During Our Deployment, we will try to achieve the following architecture:

Figure 1 : vTtiger CRM integration with UCM

In this case, each of the architecture components will have its own role:

- **vTiger CRM**: It will save the database of all contacts.
- **UCM**: It will send a HTTP requests to the vTiger CRM once it receives an inbound call through the trunk, then add unknown numbers to contacts table in the CRM database as well as request the contact information if the contact exist on the database.
- **IP Phone**: Will receive the incoming call and display contact information as well as synchronization with desktop CTI application.
- **Grandstream Affinity**: It will display all the details of the contact who is calling and give CTI control over IP phone (Answer call, Hangup, transfer, hold/UnHoldetc).





UCM6XXX CONFIGURATION

Two steps are required to configure UCM6xxx with vTiger CRM:

- 1. Admin Configuration.
- 2. User Configuration.

Admin Configuration

This step is required to configure general settings regarding received calls, in order add unknown numbers to contacts table, do Lookups...etc. These settings will apply to all UCM6XXX users that will be using vTiger CRM.

vTiger CRM configuration page can be accessed using admin login at "Web GUI→Value-Added Features→CRM".

CRM			
CRM System :	VtigerCRM	~]
* CRM Server Address:	https://grandstream.vtiger.com]
* Add Unknown Number :	Contacts	~]
Contact Lookups:	O item Available	< > < > + +	 3 items Selected Look up in Contacts ta Look up in Leads table Look up in Organizati

Figure 2: vTiger CRM Settings

1. Select **vTigerCRM** from the "CRM System" dropdown list to use the vTiger CRM and make similar configuration to the above screenshot, below are the details:





	Table 2 : vTiger CRM Settings
CRM System	Allows users to select a CRM system from the drop-down list, choose vTigerCRM to use vTiger CRM.
CRM Server Address	Set the CRM Server address as the domain name or IP address of the vTiger CRM. Example: https://grandstream.vtiger.com
Add Unknown Number	Allows to automatically save received calls from numbers not previously logged in vTiger CRM and add contact phone number to specific table (Contacts, Leads).
Contact Lookups	Selects CRM tables that will be used to lookup for contact details when making/receiving calls. Press > to select where the UCM can perform the lookups on the CRM tables

Once users finish configuring above settings using admin access:

- 2. Click on Save and Apply Changes
- 3. Logout from admin access.

User Configuration

This configuration is per user, it will allow users to authenticate and sync up with vTiger CRM platform.

Note: Admin Configuration needs to be set before enabling CRM for users.

- 1. Login to the UCM as user (using your user portal access account) and navigate to "Value-added Features → CRM User Settings".
- 2. Click on "Enable CRM".
- 3. Enter the username/access key associated with the CRM account.
- 4. Click on Save and Apply Changes

The status will change from "Logged Out" to "Logged In" and users can start using vTiger CRM.





CRM User Settings	
Enable CRM:	
* Username:	orihara007@gmail.com
* Access Key:	NBXBFyWEmMtc09t
Login Status :	Logged In

Figure 3: CRM User Settings

Table 3: CRM User Settings

Username	Enter vTiger CRM username to login.
Access Key	Enter vTiger CRM Access Key to login.

In order to get the "Username" and "Access Key", access to vTiger CRM server web UI \rightarrow My Preferences.



Figure 4: vTiger CRM → My Preferences

The User Name and Access Key are located under "User information" section:





My Preferences Viewing preferences of "Rob Stark" User information							
Username	orihara007@gmail.com	User Type	Admin				
Role	CEO	Reports To					
Primary Group		Language	US English				
Access Key	NBXBFyWEmMtc09t						

Figure 5: vTiger CRM User Name

My Preferences Viewing preferences of "Rob Stark"						
User information						
Username	orihara007@gmail.com		User Type	Admin		
Role	CEO		Reports To			
Primary Group			Language	US English		
Access Key	NBXBFyWEmMtc09t					

Figure 6: vTiger CRM Access Key





CONTACTS LOOKUP

Using Grandstream Affinity software, users can receive incoming calls to their GXP21xx/GXP17xx/GRP261x IP Phones in their PC as well, the following link explains how to install and configure Grandstream Affinity software.

http://www.grandstream.com/sites/default/files/Resources/GS_Affinity_Guide.pdf

When receiving an incoming call from an existing contact on vTiger CRM, the contact's name will be displayed on the phone's LCD and more data will be shown on Grandstream Affinity application. The following figure shows an example of the result.



Figure 7: Call popup on Grandstream Affinity

Users can click on the button View Contact to be redirected to contact's page for more details about the calling contact or to edit specific data.

New contacts will be automatically added to the CRM and it's up to the user to specify where add them depending on the settings on admin page as shown on *Admin Configuration*

Following screenshot shows the contact details page after clicking on the view contact button.

	E Contacts							
ø	HELP DESK	Contacts > My Contacts > Tyler Durden + Add Contact v Extensions v / Customize v O Help v						
0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Cases FAQ Help Desk Insig Service Contracts	Contact: Tyler Durden Primary Email Mobile Phone Profile Rating tyler.durden@gmail.com Plantal Comments Til Activities 電P Touchpoints Dupdates Deals Exit Emails 日 Quotes … シン						
	Olark Chats	Key Fields Activities :						
	Social	First Name Tyler No pending activities						
0	Contacts	Last Name Durden						
	Organizations	Office Phone +2121014						
	Email Templates	Organization Touchpoints Name						
6	Print Templates	Title No related Touchpoints						
	Approvals	Assigned To Rob Stark						
	Internal Tickets	Last Contacted						
	Work Orders	Mailing Country						
	Internal Ticket I	Mailing City Post a comment and mention @user / @group / @All to notify						
	Esign Documents	Description Roll up 0						
	Web Chats	No comments						

Figure 8 : View Contact Details





CALL REPORTING

Finally, users can see reports of the calls on vTiger CRM from All \rightarrow PBX Manager \rightarrow Records List:

Call Status	Customer Number	Customer	User	Recording	Duration (sec)	Start Time
ANSWERED	00212658133010	00212658133010	test		1	02-06-2018 06:31 AM
ANSWERED	212621175203	Kris Marrier	test		2	02-06-2018 06:30 AM
ANSWERED	212621175203	Kris Marrier	test		1	02-06-2018 06:26 AM
ANSWERED	00212707199024	Kris Marrier	test		1	02-06-2018 06:22 AM
ANSWERED	00212707199024	Kris Marrier	test		102	02-06-2018 05:51 AM
ANSWERED	00212707199024	Kris Marrier	test		0	02-06-2018 05:51 AM
ANSWERED	00212707199024	Kris Marrier	test		0	02-06-2018 05:45 AM
ANSWERED	00212707199024	Kris Marrier	test		98	02-06-2018 05:43 AM
NO ANSWER	00212707199024	Kris Marrier	test		0	02-06-2018 05:42 AM
NO ANSWER	00212707199024	Kris Marrier	test		0	02-06-2018 05:41 AM
NO ANSWER	00212707199024	Kris Marrier	test		0	02-06-2018 05:38 AM
ANSWERED	96846541651	Ken Woo	Administrator		0	02-01-2018 11:12 AM
ANSWERED	96846541651	Ken Woo	Administrator		2	02-01-2018 11:09 AM
ANSWERED	96846541651	Ken Woo	Administrator		3	02-01-2018 11:08 AM
ANSWERED	96846541651	Ken Woo	Administrator		166	02-01-2018 11:06 AM
BUSY	96846541651	Ken Woo	Administrator		0	02-01-2018 11:05 AM
ANSWERED	96846541651	Ken Woo	Administrator		26	01-31-2018 5:44 PM
ANSWERED	96846541651	Ken Woo	Administrator		4	01-31-2018 5:44 PM
BUSY	96846541651	Ken Woo	Administrator		0	01-31-2018 5:43 PM
ANSWERED	96846541651	Ken Woo	Administrator		13	01-31-2018 4:11 PM

Figure 9 : vTiger Call reporting

